# **ECOUSTIC® FELT 681**



INSTYLE

Hear yourself think®

## ECOUSTIC® FELT 681



### **ECOUSTIC® FELT**



CONTENT

100% PET (>50% recycled content)

53" / 10.32 Oz Linear Yard

Meets all ACT Standards

WIDTH / WEIGHT

REPEAT

FINISH

none

none

# 0 \* 🖈

0.04" (1mm)

PERFORMANCE

THICKNESS

SEAM SLIPPAGE ASTM D4034-92

PILLING ASTM D3511

LIGHTFASTNESS ASTM D3511

#### FLAMMABILITY

ASTM E84 AS/ISO 9705 AS/NZS 1530.3 Adhered + Unadhered (Class A) Group 1

#### APPLICATION

**CLEANING CODE** 

Vertical Surfaces

Contact Unika Vaev Customer Service for detailed cleaning instructions **Improved Sound Absorption:** ecoustic<sup>®</sup> Felt can acheive a NRC rating of 0.04 when the felt is directly fixed to a wall.

**Improved Pin-ability:** ecoustic<sup>®</sup> Felt features an improved pin-ability compared to similar nonwoven products.

**Designed for the Environment:** ecoustic<sup>®</sup> Felt is made from over 50% recycled PET. Easy to disassemble and separate into the appropriate recycling systems, ecoustic<sup>®</sup> felt can be recycled.

Low VOC + Safe to Handle: ecoustic<sup>®</sup> Felt is low-VOC, and is nontoxic, non-irritant and non-allergenic

**Greentag Level A Certification:** ecoustic<sup>®</sup> Felt is Greentag Level A Certified, which addresses life cycle impacts such as Toxicity, Material Extraction (recycled content), Social and Environmental Supply Chain, Durability, End of Life – Product Stewardship Program and Product Emissions.

Green Star:  $ecoustic^{\ensuremath{\circledast}}$  Felt is Greentag Level A Certified and can achieve maximum Green Star product score.

**LEED:** 50% post consumer content contributes to LEED MR Credit 4 Recycled Content.

**Installation + Care Guidelines:** Installation + Care guidelines are available on our website.

Criteria	Green Star	LEED	WELL
Recycled content	yes	yes	no
Low-VOC	yes	yes	yes
Recycling Program	yes	yes	no
EPD	yes	yes	no
3rd Party Greentag Level A Certification	yes	yes	yes
Toxic Material Reduction	no	no	yes

